



TECHNOLOGY



SIZES







Dubnital











MASTER OF SPEED

Dubnital is designed for dry to damp conditions and for rocky, hardpack, and medium loose soils. Master the challenges of modern cross-country and down-country riding at speed. Dubnital supersedes its predecessor, the championed 'Race King', and takes performance to the next level.

TERRAIN



Ideal for **hardpack** terrain

CASING



Trail: A light and durable single-ply carcass construction, ideal for Trail use cases.



Race: The lightest and fastest construction in our MTB line-up. Perfect for modern Cross and Down-Country riding and racing

COMPOUND



Grip: Designed for modern Cross-Country, Down-Country, Trail and gravel use cases. This compound offers an excellent balance of grip and rolling resistance and is the number one choice for all-round balanced characteristics.




Rapid: When speed and acceleration on flat and inclines is all that matters, then the Rapid compound is your go-to option. Inspired by the characteristics of compounds used in our road, race and gravel tires.

Dubnital





SIZES





Tubeless Ready:

For initial mounting we recommend to use at least 30 ml of Conti RevoSealant per tire. Then spin the tire (wheel) to spread the Conti RevoSealant inside of the tire and pump to the allowed maximum pressure. Check the pressure before the next ride and adjust to your desired PSI.

This tire is Hookless compatible to its limited max. pressure. Please check wheel instruction and tire packaging for detailed information.









TECHNOLOGY



SIZES







Trinotal









Trinotal is truly versatile, designed to be ridden on hard and light mixed soils whether dry or damp. Trinotal supersedes its predecessor, the popular 'Cross King'. Conquer the varied challenges of modern cross-country and down-country riding.

TERRAIN





Ideal for hardpack and mixed terrain

CASING




Trail: A light and durable single-ply carcass construction, ideal for Trail use cases.



Race: The lightest and fastest construction in our MTB line-up. Perfect for modern Cross and Down-Country riding and racing

COMPOUND



Grip: Designed for modern Cross-Country, Down-Country, Trail and gravel use cases. This compound offers an excellent balance of grip and rolling resistance and is the number one choice for all-round balanced characteristics.



Rapid: When speed and acceleration on flat and inclines is all that matters, then the Rapid compound is your go-to option. Inspired by the characteristics of compounds used in our road, race and gravel tires.





Trinotal





SIZES



foldable

foldable

foldable

Color/sidewall



Tubeless Ready:

E25

E25

E25

E25

EAN

4 019238 402544

4 019238 402520

4 019238 402469

4 019238 402506

4 019238 402483

4 019238 402759

4 019238 402735

4 019238 402636

4 019238 402643

4 019238 402650

4 019238 402674

4 019238 402711

4 019238 402698

PSI

36-50

36-50

43-58

36-50

36-50

36-50

36-50

43-58

43-58

36-50

43-58

720* 36-50

740* 36-50

g

640

660*

610

640*

660*

685

705

595*

635

605*

675

RRP/€

73,95

73,95

70,95

70,95

70,95

70,95

70,95

TR

63,95

66,95

66,95

66,95

66,95

66,95

TR

TR

For initial mounting we recommend to use at least 30 ml of Conti RevoSealant per tire. Then spin the tire (wheel) to spread the Conti RevoSealant inside of the tire and pump to the allowed maximum pressure. Check the pressure before the next ride and adjust to your desired PSI.

This tire is Hookless compatible to its limited max. pressure. Please check wheel instruction and tire packaging for detailed information.







0150777 60-622 29 x 2.40

Trinotal

Article

0102032

0102033

Race Rapid - 3/330 TPI

ETRTO

60-622

60-622

Dimension

29 x 2.40

29 x 2.40



TECHNOLOGY



SIZES







Magnotal







DOMINATE WHEREVER YOU RIDE

Magnotal is designed for dry to wet conditions for hard, loose or muddy soils. It is the go-to solution for aggressive down-country, all-mountain and trail use cases. The newly designed tread pattern and casing sets a new standard for an all-rounder MTB tire – closing the gap to our Gravity range.

TERRAIN





Ideal for **mixed** and **loose** terrain

CASING



Trail: A light and durable single-ply carcass construction, ideal for Trail use cases.

COMPOUND



Soft: Designed for descending-orientated use cases in the Trail and Enduro segment. The Soft compound offers high levels of grip with reasonable rolling resistance. Useable as a complete Front-Rear combination or a Front-wheel-only option for increased grip in Trail and All-Mountain use cases.



Grip: Designed for modern Cross-Country, Down-Country, Trail and gravel use cases. This compound offers an excellent balance of grip and rolling resistance and is the number one choice for all-round balanced characteristics.





Magnotal





SIZES

	EDE

Magnotal										
Trail Soft - 3/330 TPI		₩			E25	TR				
	Article	ETRTO	Dimension	Color/sidewall	g	PSI	EAN	RRP/€		
	0150771	60-584	27.5 x 2.40	foldable	805*	36-50	4 019238 401967	68,95		
	0150773	65-584	27.5 x 2.60	foldable	890*	29-43	4 019238 401929	72,95		
	0150765	60-622	29 x 2.40	foldable	855*	36-50	4 019238 402063	68,95		
	0150766	60-622	29 x 2.40	foldable	875*	36-50	4 019238 402049	68,95		
	0150769	65-622	29 x 2.60	foldable	985*	29-43	4 019238 402001	72,95		
	Trail Grip -	3/330 TPI					E25	TR		
	0150770	60-584	27.5 x 2.40	foldable	805*	36-50	4 019238 401981	66,95		
	0150772	65-584	27.5 x 2.60	foldable	890*	29-43	4 019238 401943	70,95		
	0150763	60-622	29 x 2.40	foldable	855*	36-50	4 019238 402100	66,95		
	0150764	60-622	29 x 2.40	foldable	875*	36-50	4 019238 402087	66,95		
	0150768	65-622	29 x 2.60	foldable	985*	29-43	4 019238 402025	70,95		



Tubeless Ready:

For initial mounting we recommend to use at least 30 ml of Conti RevoSealant per tire. Then spin the tire (wheel) to spread the Conti RevoSealant inside of the tire and pump to the allowed maximum pressure. Check the pressure before the next ride and adjust to your desired PSI.

This tire is Hookless compatible to its limited max. pressure. Please check wheel instruction and tire packaging for detailed information.



